




Q-RAILING DESIGNER SYSTEMS

THE IDEAL SOLUTION FOR EVERY RAILING PROJECT



YOUR CHOICE IN RAILING SYSTEMS

Q-railing



BRING YOUR VISION TO LIFE

WELCOME TO Q-RAILING, YOUR SOURCE FOR INNOVATIVE, HIGH GRADE, DESIGNER RAILING SYSTEMS. OUR SYSTEMS SERVE AS SUPPORTS AND HANDRAILS ALONG STEPS AND STAIRWAYS, AND AS SAFETY BARRIERS AROUND BALCONIES AND BETWEEN FLOOR LEVELS.

This brochure provides an overview of our complete systems built from our quality modular products. All 4000+ of our individual products are modular in design, largely interchangeable and quick and straight forward to install. This means that you are free to combine elements from various systems to create a completely new look. With Q-railing, your design possibilities are truly endless! For more detailed information about all systems and individual products, please visit www.q-railing.com, where you can enter the webshop or request a copy of our product catalogue.

WHY Q-RAILING?

QUALITY

Get the high quality your projects demand

- Consistently perfect surfaces and finishes
- Extremely accurate dimensions and tight tolerances
- Q-railing is certified according to ISO 9001: 2008

EASY ORDERING

Start construction without delay

- All of our products are available from stock
- Order 24/7 at our webshop, or by phone or email during business hours
- Our Sales Consultants are ready to help

WIDE RANGE

Choose from a large variety of railing systems

- Products are modular; mix and match among styles and systems
- Round, square, oval and flat shapes are available
- Q-railing products are made of high quality stainless steel, grades 304, 316 or 2205, aluminium, wood or zinc

SAFETY

Rest assured that all products and systems have been extensively tested

- Q-railing systems are tested and approved according to the main European building codes and standards
- All Q-railing products are CE marked; Documents of Performance are available on request

- All products are tested in Q-railing's in-house test laboratory
- Safety is guaranteed by certification from independent international testing institutions and leading Enforcing Authorities

INNOVATION

Deliver a state-of-the-art end result every time

- Approximately 150 new products and product improvements introduced each year
- Ground-breaking new solutions make installation faster and easier
- Products are designed to make welding unnecessary

DESIGN

Benefit from a design focus

- Timeless design and stunning aesthetics by the Q-design team and award-winning designers
- Straightforward designs that provide significant savings during the construction process
- Safety and practicality always assured



Management System
ISO 9001:2008
ID 9105072449

CONTENT

D LINE 4

GLASS RAILING SYSTEMS

LINEAR FIXATION

EASY GLASS® PRO 6
EASY GLASS® SLIM 8
EASY GLASS® 3KN 10

POINT FIXATION

EASY GLASS® MODEL 61-62 12
EASY GLASS® MODEL 6000 13
EASY GLASS® MODEL 0763 14
EASY GLASS® MODEL 4762 15
EASY GLASS® MODEL 0760-0766 16
EASY GLASS® MODEL 4747 17
EASY GLASS® MODEL 0749 18
EASY GLASS® MODEL 6507-6508 19

BALUSTER RAILING SYSTEMS

DUO LINE 20
QUICKRAIL® 22
LINEAR LINE 24
SQUARE LINE® 26
Q-LINE 28
ULTRA RANGE 30



EASY GLASS® PRO



EASY GLASS® SLIM



EASY GLASS® 3KN



DUO LINE



Q-LINE

D LINE

BLUEPRINT FOR QUALITY



red dot

CREATED BY THE RENOWNED DANISH DESIGNER KNUD HOLSCHER, D LINE IS ONE OF THE MOST DESIRED RAILING SYSTEMS IN THE WORLD AND HAS BEEN AWARDED THE PRESTIGIOUS RED DOT DESIGN AWARD.

Available only in high-grade 316 quality stainless steel, d line is manufactured to meet the highest standards for both indoor and outdoor use and is a delight to install, use and experience. With its varieties in baluster railings, structural glazing and handrails, the system gives you numerous options.

Behind d line's stunning aesthetics is an exceptional practicality that thrills designers and builders alike. d line is constructed of a series of standardized, modular components. On-site fabrication and welding are both eliminated.

GOEDKEURING
VOLGENS EN ISO 9001
NEN 2608


STATISCHE
BERECHNUNG
GEMÄß TRAV



- Received the prestigious red dot design award
- Excellent high-grade 316 quality stainless steel
- Ultimate modularity
- Varieties in baluster railings, structural glazing and handrails
- Able to cope with heavy loads

Designed for: Light, medium and extra heavy use
Use: Indoor and outdoor
Varieties: Top and fascia mount
Applications: Stairs and balustrades
Material: Stainless steel 316
Infills: Glass
Glass thickness: 10 mm - 25.52 mm

- Extras:**
- Can be finished with additional handrail
 - Matching cover caps for baluster posts are available



- Incredibly easy, cost-saving installation
- All mounting and adjustment from the inside of the balustrade
- Suitable for even the most challenging construction situations
- The 'F' shaped base shoe can be installed directly on the edge of a balcony
- Countersunk anchors not required
- Integrated water drainage system

EASY GLASS® PRO

ALIGNMENT MADE EASY

INTERNATIONAL
DESIGN MODEL
PROTECTION

EASY GLASS® PRO: THE ONLY BASE SHOE THAT LETS YOU FINE-TUNE THE ADJUSTMENT OF EACH GLASS PANEL FROM JUST ONE SIDE. PRO IS THE IDEAL SOLUTION FOR CHALLENGING CONSTRUCTION SITUATIONS.

With Easy Glass Pro you can make all necessary glass adjustments from the installation side – no bolts, screw tightening, scaffolding or any special tool required!

The range consists of four model base shoes: Two for top and two for fascia mounting. All models feature a unique new Safety Wedge system through which each glass panel can easily be adjusted in every direction up to 10 mm, all from the inner side of the railing

system! Plus, the Easy Glass Pro base shoes does not require countersunk anchors. Instead you can use the more cost-effective hexagon head anchors. The two top mount profiles also require fewer anchors than other systems. Unique to Pro is the 'F' shaped base shoe (for top mounting) and 'Y' shaped base shoe (for fascia mounting). Both are especially designed for non-finished floors and allow the profiles to be placed as close to the edge of the concrete as possible.



Designed for: Light to medium use
Use: Indoor and outdoor
Varieties: Top, in-floor and fascia mount
Applications: Stairs and balustrades
Material: Aluminium
Infills: Glass
Glass thickness: 15 mm - 21.52 mm

- Extras:**
- Can be finished with cap rail and/or additional handrail
 - Connection pins are available to connect base shoes
 - Unique finish provides a stainless steel effect that eliminates the need for cladding





- Economical glass balustrade solution
- Lightweight base shoe
- Quick and easy installation
- Available with stainless steel or stainless steel effect aluminium cladding
- Integrated water drainage system



Designed for: Light to medium use
Use: Indoor and outdoor
Varieties: Top and fascia mount
Applications: Stairs and balustrades
Material: Aluminium
Infills: Glass
Glass thickness: 15 mm - 21.52 mm

Extras:

- Can be finished with cap rail and/or additional handrail


EASY GLASS® SLIM

SLIM DESIGN, BIG IMPACT

BRING A DRAMATIC 'WOW' FACTOR TO YOUR PROJECT. EASY GLASS® SLIM COMBINES PERFECT DESIGN AND OPTIMAL TRANSPARENCY INTO AN ECONOMICAL GLASS BALUSTRADE SOLUTION. THANKS TO ITS LIGHT WEIGHT BASE SHOE, EASY GLASS® SLIM IS EASY TO MANOEUVRE ON SITE, SAVING INSTALLATION TIME!

Easy Glass Slim is a complete and affordable solution for both interiors and exteriors. It is perfect for private residences, commercial buildings, retail shops and more – anywhere that calls for a minimalist and transparent look, where a maximum load of 1 kN is sufficient.

Due to its unique Safety Wedge system, installing the glass panels is fast and easy. Easy Glass Slim is a great example of how design, safety and functionality go hand in hand, and is an ideal choice for stairs, balconies and other private or light commercial railing solutions.





- Robust and elegant design
- Tested to resist linear line load forces up to 3 kN
- Designed specifically for crowded public spaces
- Quick and easy installation
- Available with stainless steel or stainless steel effect aluminium cladding
- Integrated water drainage system



EASY GLASS® 3KN

EXTRA STRONG, UNINTERRUPTED VIEWS

EASY GLASS® 3KN WAS DESIGNED TO COPE WITH VERY HEAVY LOADS IN PUBLIC AREAS WHILE PROVIDING MAXIMUM TRANSPARENCY. THE RESULT: CLEAR VISIBILITY AND AN INVIGORATING SENSE OF FREEDOM.

The robust Easy Glass 3kN creates a railing system with an uninterrupted view and a spectacular glazed appearance. Construct a continuous series of glass panels as long as you need, without any upright posts to detract from the look. Easy Glass 3kN meets worldwide safety and building regulations and is able to resist linear line load forces up to 3 kN. It is therefore suitable

for use in high demand public areas such as sports stadiums or airports. The system is easily installed on site, with no welding required. The unique Safety Wedge system guarantees the required connection between the glass and the base shoe, saves time aligning the glass panels, and ensures a quick, easy and secure installation.



Designed for: Extra strong use
Use: Indoor and outdoor
Varieties: Top and fascia mount
Applications: Stairs and balustrades
Material: Aluminium
Infills: Glass
Glass thickness: 19 mm - 31.52 mm

Extras:
■ Can be finished with cap rail and/or additional handrail





Designed for: Light use
Use: Indoor and outdoor
Varieties: Top and in-floor mount
Application: Stairs and balustrades
Material: Stainless steel 316
Infills: Glass
Glass thickness: 12 mm - 17.52 mm

Extras:

- Can be finished with cap rail and/or additional handrail
- Matching base covers available



Designed for: Light use
Use: Indoor and outdoor
Varieties: Top mount
Application: Stairs and balustrades
Material: Stainless steel 316
Infills: Glass
Glass thickness: 12 mm - 17.52 mm

Extra:

- Can be finished with cap rail and/or additional handrail
- Security pin for base glass clamp is available

EASY GLASS® MODEL 61-62

A NEW WAY TO EXPRESS MINIMALISM

LOOKING FOR A SOLUTION THAT IS COMPLETELY DIFFERENT AND MINIMALIST? THE SLEEK DESIGN OF THE EASY GLASS® MODEL 61 AND EASY GLASS® MODEL 62 BASE GLASS CLAMPS GIVES YOU A UNIQUE WAY TO ACHIEVE A FULLY TRANSPARENT VIEW. WHETHER YOUR VISION CALLS FOR A CURVED OR ANGULAR DESIGN, YOUR GLASS PANELS WILL BE SECURELY SUPPORTED IN STYLE.

Top mount and in-floor mount clamps are available, and both are easy to install. Choose from two different shapes: model 61 is sleek and round, while model 62 is characterized by angular square lines. For the perfect finishing touch, be sure to use the corresponding base cover caps.

- Minimalist base glass clamp system
- Available in round or square shapes
- Easy mounting thanks to elongated holes

EASY GLASS® MODEL 6000

MAKE A DESIGN STATEMENT

INTERNATIONAL
DESIGN MODEL
PROTECTION

SOMETIMES YOU JUST DO NOT WANT AN ALUMINIUM CHANNEL ACROSS THE BOTTOM OF YOUR BALUSTRADE. FOR THOSE WHO ARE LOOKING FOR SOMETHING DAZZLINGLY DIFFERENT, EASY GLASS® MODEL 6000 SHOWS HOW Q-RAILING SETS THE STANDARD FOR THE ULTIMATE DESIGNS IN GLASS RAILING SYSTEMS.

Easy Glass model 6000 is an eye-catching and distinctive base glass clamp that resembles a wide seashell. Fixed at intervals along the bottom of a glass railing, Easy Glass model 6000 makes it easy to create a design statement. Model 6000's single anchor system provides proven strength for your glass balustrades. The base shoe is designed for light use and is therefore ideal for use in private residences and light commercial property.

- Eye-catching design
- Surface mounted glass clamp with easy single anchor installation
- Built-in spirit level
- No visible screws



Designed for: Light to medium use
Use: Indoor and outdoor
Varieties: Fascia mount
Applications: Stairs and balustrades
Material: Stainless steel 304 and 316
Infills: Glass
Glass thickness: 12 mm - 21.52 mm

Extras:

- Can be finished with cap rail and/or additional handrail
- Optional second anchor fixing



Designed for: Light to medium use
Use: Indoor and outdoor
Varieties: Fascia mount
Applications: Stairs and balustrades
Material: Stainless steel 316
Infills: Glass
Glass thickness: 15 mm - 17.52 mm

Extra:

- Can be finished with cap rail and/or additional handrail

EASY GLASS® MODEL 0763

EXTEND GLASS OVER THE FASCIA

INTERNATIONAL
DESIGN MODEL
PROTECTION

THE SMOOTH, RECTANGULAR-SHAPED EASY GLASS® MODEL 0763 OFFERS YOU THE BEST OF TWO WORLDS: THANKS TO ITS MOVEABLE GLASS PIN, THIS VERSATILE COMPONENT CAN BE USED AS EITHER A GLASS CLAMP OR A GLASS ADAPTER. EITHER WAY, YOU GET ABSOLUTE SAFETY, TIMELESS AESTHETICS AND APPEALING DESIGN.

Unique to this system is the extension of the glass over the fascia for a continuous, uniform and transparent effect. You can install model 0763 as a glass clamp at the bottom edge between the glass panels, or place two adapters at the lower edge of each glass panel and secure with the glass pins. Either way, the high quality stainless steel can be used both indoors and outdoors on staircases and balustrades. Model 0763 is truly a sight to behold!

- Unique square design
- Suitable as a glass clamp or glass adapter
- Tested to resist linear side forces up to 1 kN
- Finished with a stainless steel cover cap

EASY GLASS® MODEL 4762

SOPHISTICATION MEETS SAFETY

INTERNATIONAL
DESIGN MODEL
PROTECTION

THE ELEGANTLY SQUARE-SHAPED EASY GLASS® MODEL 4762 IS UNIQUE IN THE MARKET AND TRULY EMBODIES THE SAYING 'LESS IS MORE'.

A sophisticated glass adapter, the Easy Glass model 4762 can be the 'crown jewel' in your project, a breath-taking design element that combines safety with ease of installation. Model 4762 incorporates a built-in spirit level that simplifies accurate alignment. The adapter is available in 316 quality, suitable for indoor or outdoor use.

- Unique rectangular design
- Finished with a stainless steel cover cap
- Built-in spirit level
- Single anchor installation system (with the option of a second fixing)



Designed for: Light to medium use
Use: Indoor and outdoor
Varieties: Fascia mount
Applications: Stairs and balustrades
Material: Stainless steel 304 and 316
Infills: Glass
Glass thickness: 15 mm - 25.52 mm

Extra:
 ■ Can be finished with cap rail and/or additional handrail



Designed for: Light to medium use
Use: Indoor and outdoor
Varieties: Fascia mount
Applications: Stairs and balustrades
Material: Stainless steel 316
Infills: Glass
Glass thickness: 15 mm - 21.52 mm

Extra:
 ■ Can be finished with cap rail and/or additional handrail

EASY GLASS® MODEL 0760-0766

FIRST-CLASS MULTIFUNCTIONAL DESIGN

INTERNATIONAL
DESIGN MODEL
PROTECTION

FIND THE IDEAL BALANCE BETWEEN HIGH DESIGN STAINLESS STEEL DETAILS AND THE BEAUTIFUL TRANSPARENCY OF A GLASS BALUSTRADE WITH THE ELEGANT EASY GLASS® MODEL 0760-0766 GLASS ADAPTER.

With model 0760-0766, the glass panels will appear to float! Characteristic of this system is the extension of the glass over the fascia for a continuous, uniform and transparent effect. The model 0760-0766 glass adapter comes in three different sizes, each available with a fixed or adjustable angle which easily adapts to your requirements. These attractive adapters feature a single anchor installation system and built-in spirit level that saves installation time, even in difficult situations. Each glass adapter features two closing caps to ensure the complete system provides maximum safety.

- Glass adapter available in three sizes
- Single anchor installation
- Ideal for compact surfaces and challenging building constructions
- Offers simple adjustability
- Built-in spirit level

EASY GLASS® MODEL 4747

MINIMALIST SQUARE

INTERNATIONAL
DESIGN MODEL
PROTECTION

DO YOU WANT TO COMBINE A MINIMALIST SQUARE SHAPE WITH AN UNPARALLELED VIEW? CHOOSE EASY GLASS® MODEL 4747. THE EXTREMELY MODERN DESIGN OF THIS SQUARE GLASS ADAPTER BRINGS YOUR VISION TO LIFE.

Model 4747, the minimalist square solution in the Easy Glass range - just what you need for light commercial or residential buildings. What you will see is clear glass with just a small stainless steel element, nothing more and nothing less. Made of 316 quality stainless steel, this stylish glass adapter is suitable for both indoor and outdoor use. And installation is easy - model 4747 features a threaded bar that is equipped with an integrated extra-safe Screw Lock. Think modern, choose a minimalist square!

- Maximum transparency
- Minimalist design
- Easy installation by threaded bar equipped with extra-safe Screw Lock



Designed for: Light to medium use
Use: Indoor and outdoor
Varieties: Fascia mount
Applications: Stairs and balustrades
Material: Stainless steel 304 and 316
Infills: Glass
Glass thickness: 15 mm - 21.52 mm

Extra:
 ■ Can be finished with cap rail and/or additional handrail



Designed for: Light to medium use
Use: Outdoor
Varieties: Fascia mount
Application: Balconies
Material: Stainless steel 316
Infills: Glass
Glass thickness: 8.76 – 21.52 mm

EASY GLASS® MODEL 0749

A CLEAR PERSPECTIVE

WALLS AND OTHER SURFACES ARE RARELY PERFECTLY STRAIGHT. WITH EASY GLASS® MODEL 0749 THAT IS NO LONGER A PROBLEM. YOU GET BUILT-IN ADJUSTABILITY TO POSITION THE GLASS PANELS IN ONE STRAIGHT LINE.

Place the glass adapters out of view for an even greater view, or arrange them in the line of sight as a design statement. Either way, you will be able to easily straighten the glass panels on site. Featuring a choice of fixing methods, the base has space for a mechanical anchor for concrete walls or a bolt to connect to a metal stringer.

The Easy Glass model 0749 is just one more way that Q-railing enables you to design a custom balustrade that addresses the unique criteria and aesthetics of your project.

- Easily straightens glass panels
- Available in various lengths and in diameters of 50, 60 and 70 mm
- With 2 different ways of fixing and a choice of lengths between the concrete and the glass

EASY GLASS® MODEL 6507-6508

THE JULIETTE BALCONY – EASIER THAN EVER

LOOKING FOR A STUNNING AND COMPLETELY SAFE JULIETTE BALCONY SYSTEM? EASY GLASS® MODEL 6507-6508 IS THE ANSWER. THE SQUARE AND ROUND WALL FLANGES AND CAP RAILS WILL HELP YOU CREATE A FRESH, TRANSPARENT LOOK IN NO TIME.

With Easy Glass model 6507-6508, installation is extremely easy. Simply glue the wall flanges to the cap rails, place the rubber profiles onto the glass and clamp the glass into the cap rails. The flanges easily fix to the wall with chemical anchors.

Special to this system is the option of horizontal or vertical fixing; choose the option which fits the look you want to create. Either way, you will be able to create Juliette balconies that are up to 2,5 metres wide. Easy Glass model 6507-6508 system conforms with the latest international safety standards.

- Quick installation thanks to glueing and clamping
- Enables both horizontal and vertical fixing
- Flexibility in height and width
- Wall anchors are invisible
- Create a Juliette balcony with a width up to 2,5 metres

INTERNATIONAL
DESIGN MODEL
PROTECTION

STATISCHE
BERECHNUNG
GEMÄß TRAV

AbP
BAUABT
GERÄT



- Fast installation – easy installation of infill brackets on baluster posts
- Available with various infills
- Creates an open look
- Takes forces up to 1 kN
- Highly scratch-resistant

Designed for: Light to medium use
Use: Indoor and outdoor
Suitable for: Top, in-floor and fascia mount
Applications: Stairs and balustrades
Material: Anthracite grey powder-coated aluminium and zamak
Infills: Vertical bars or glass panels
Glass thickness: 6 - 12.76 mm

- Extra:**
- Can be combined with different handrails. Choose round, square, stainless steel or wood
 - Combine handrail with Q-lights, Q-railing's LED lighted handrail system

DUO LINE IMPRESS WITH GREY

DUO LINE IS A MODERN INDUSTRIAL DESIGN BALUSTER POST RAILING SYSTEM. THE COMBINATION OF ANTHRACITE GREY BALUSTER POSTS AND STAINLESS STEEL LOOKS STRIKING... AND IT'S AFFORDABLE, TOO.

Suitable for both indoor and outdoor use, Duo Line has a modern industrial look and is available for top, fascia and in-floor installation. The highly scratch-resistant, anthracite grey powdercoated aluminium balusters can be combined with 2 different infills. Choose from horizontal bars or glass to create the look you want.

Due to its modular clamping system, assembly is very quick and simple. To install the infills, all you need to do is push the adapters into the balusters and then install the infill holders on the adapters. No drilling or tapping required – and no visible screws to distract the eye.



GOEDKEURING
VOLGENS B82012
EUROCODES
1990-1999:2011
NEN 2608

STATISCHE
BERECHNUNG
GEMÄß TRAV



- Symmetrical, industrial style
- The perfect balance of brushed aluminium and satin finished stainless steel
- No drilling, screwing or welding required
- Easily accommodates glass, cable or bar infill



Designed for: Light to medium use
Use: Indoor and outdoor
Suitable for: Top, in-floor and fascia mount
Applications: Stairs and balustrades
Material: Stainless steel 304 or 316 and aluminum
Infills: Vertical bars or glass panels
Glass thickness: 6-13.52 mm

Extra:

- Can be combined with handrails that are available in a wide range of shapes and materials. Choose round or square, stainless steel or wood (beech, cedar or oak)
- Combine with a round, Q-lights LED lighted handrail

QUICKRAIL®

DESIGNED TO SAVE TIME

WHEN YOUR PROJECT CALLS FOR A SYMMETRICAL, INDUSTRIAL LOOK WITH SHARP CORNERS AND VISIBLE PARTS – AND YOU WANT IT TO BE EASILY INSTALLED ON SITE – QUICKRAIL® DELIVERS.

Why is this system called Quickrail? The reason is concealed behind the clean, seamless connection to the top rail. Inside each baluster post is a hidden track; glass connectors and rod holders simply slide onto the posts and lock in place. Choose Quickrail for the easiest of easy ways to install a designer railing system! No welding, no nonsense, just a fantastic and quickly achieved, industrial-looking end result.





LINEAR LINE

RIGID LINES, FLAT SHAPES

LINEAR LINE IS A UNIQUE STAINLESS STEEL 316 BALUSTER POST RAILING SYSTEM BASED ON RIGID LINES AND FLAT SHAPES, WITH NO VISIBLE SCREWS TO IMPAIR THE LOOK.

With Linear Line, the stainless steel fittings are clamped onto the adapters through a simple mechanism, while the adapters are simply pushed on to the baluster post itself. No need for glass drilling thanks to a new glass holder system. Choose vertical bars or use glass as your infill, held in place with either glass clamps or glass holders. You decide how to achieve the perfect end result.



GOEDKEURING
VOLGENS B82012
EUROCODES
1990-1999:2011
NEN 2608

STATISCHE
BERECHNUNG
GEMÄß TRAV

Designed for: Light to medium use
Use: Indoor and outdoor
Suitable for: Top, in-floor and fascia mount
Applications: Stairs and balustrades
Material: Stainless steel 316
Infills: Vertical bars or glass panels
Glass thickness: 8-13.52 mm

Extra:

- Can be combined with different handrails. Choose round, square, stainless steel or wood.
- Combine with a round, Q-lights LED lighted handrail system
- Security pin for glass clamps is available



- Fast installation – just push and clamp the adapters onto the baluster posts
- Complete system including a wide choice of infills
- No drilling or welding required
- Able to absorb linear side forces up to 1 kN
- No visible screws





- Available in three variants: 40x40, 60x30 and 40x10
- Square, geometric angles and precise lines
- Includes an extensive range of modular square components
- Tested to resist linear side forces up to 1 kN



Designed for: Light to medium use
Use: Indoor and outdoor
Suitable for: Top, in-floor and fascia mount
Applications: Stairs and balustrades
Material: Stainless steel 304 and 316
Infills: Vertical bars, cable, Easy Q-web or glass panels
Glass thickness: 6-17.52 mm

Extra:

- Can be combined with different handrails. Choose round, square, stainless steel or wood
- Combine handrail with Q-lights, Q-railing's LED lighted handrail system
- Matching cover caps for baluster posts are available

SQUARE LINE®

STYLISH GEOMETRIC DESIGNS

MAKE A POWERFUL STATEMENT WITH OUR SQUARE LINE®, THE RECTANGULAR AND ULTIMATE ANSWER TO THE DEMAND FOR THE LOOK OF THIS DECADE. SQUARE LINE PROVES HOW SIMPLE GOOD DESIGN CAN BE.

The sharp lines and corners of this baluster system will transform your designs with straighter and modern-looking components. Square Line is available in three variants: Square Line 40x40 for a 100% square look; the robust Square Line 60x30, with thicker balusters that can withstand heavier loads; and Square Line® 40x10 as a handrail solution. Because of the modularity of all Q-railing systems, you can even combine Square Line with components of any other Q-railing system. Infill choices include cables, glass, horizontal bars or a web system.



STATISCHE
BERECHNUNG
GEMÄß TRAV

APPROVED
to BS 6180

AbP
BAUFAKT
GERÜST



Q-LIGHTS PUT YOUR RAILING IN THE SPOTLIGHT

Create atmosphere and add safety to stainless steel with Q-lights. This complete system includes everything needed to install a durable and long-lasting lit railing with adjustable LED spotlights. Available in 24V for indoor or outdoor use and the more cost-effective 12V version for indoor use, each LED spotlight is pre-wired to fit perfectly into the handrail using a unique click technology. Q-lights can be installed in a Ø 42,4 or Ø 48,3 mm tube (2 mm thickness), and can therefore be used with any of our round handrails.



Q-LINE THE TIMELESS CLASSIC

IF YOU PREFER ROUND SHAPES, OUR CLASSIC Q-LINE RANGE OFFERS THE GREATEST SELECTION OF COMPONENTS AND LIMITLESS POSSIBILITIES.

What makes Q-line truly classic is its timeless, minimalist design, with clean and straightforward shapes in rich satin or polished stainless steel that will never go 'out of style.' Q-line includes a surprisingly large array of superior pre-fabricated high-quality components. From the transparency of glass filled railings, to the endless lines of bar infills or the industrial look of cable or web, Q-line has what you need.



- Unlimited design possibilities
- Timeless look
- Extremely wide range of pre-fabricated modular components
- Available with various infills
- No welding required, installation achieved with gluing, drilling and tapping



Designed for: Light to medium use
Use: Indoor and outdoor
Suitable for: Top, in-floor and fascia mount
Applications: Stairs and balustrades
Material: Stainless steel 304 and 316
Infills: Vertical bars, cable, Easy Q-web or glass panels
Glass thickness: 6-17.52 mm

- Extra:**
- Can be combined with different handrails. Choose round, square, stainless steel or wood
 - Combine handrail with Q-lights, Q-railing's LED lighted handrail system
 - Matching cover caps for baluster posts are available
 - Security pin for glass clamps are available



Designed for: Light to medium use
Use: Indoor and outdoor
Suitable for: Top and fascia mount
Applications: Stairs, balustrades and swimming pool fences
Material: Stainless steel 2205
Infills: Glass
Glass thickness: 6-12.76 mm

Extra:

- Can be finished with additional handrail
- Matching cover caps for baluster posts are available
- Security pin for glass clamp model 28 (2205-quality) is available



ULTRA RANGE

OUTSTANDING RESISTANCE

GUARANTEED



ULTRA RANGE IS THE FIRST AND ONLY Q-RAILING RAILING SYSTEM MADE OUT OF STAINLESS STEEL 2205, AN EXTREMELY CORROSION-RESISTANT MATERIAL.

The Ultra Range provides unmatched quality, with extra resistance to tea-staining and pitting. Thanks to durable, corrosion-resistant materials, this range is ideal for swimming pools and coastal areas alike. The components feature rounded-off corners and sloping surfaces, to help ensure that substances which could cause corrosion easily slide off before they can do any damage. Ultra Range comes with a 2-year warranty*, quality guaranteed.

- Extremely corrosion resistant
- Suitable for coastal regions and swimming pool environments
- No welding required
- Comes with a 2-year corrosion-free guarantee*

* Corrosion-free guarantee for 2 years, subject to terms and conditions.





Q-railing

Marie-Curie-Strasse 8-14
46446 Emmerich am Rhein
Germany
Tel. +49 (0) 2822 915 69 0
Fax +49 (0) 2822 915 69 70
sales@q-railing.de
www.q-railing.com

LANGUAGE ENG • 9000000000803